



BIBLIOGRAPHY

Medical Journals

1. Goldman, MP: "Nd:YAG Laser for Endovenous Closure of the Great and Small Saphenous Veins," *Vascular and Endovascular, New Drugs, Devices and Injectables of Dermatology*, 2007.
2. Goldman, MP; Weiss, RA: "Endovenous Elimination of the Great Saphenous Vein with Radiofrequency of Laser," *Advanced Techniques in Dermatologic Surgery*, 2007.
3. Munavalli, GS; Weiss, RA: "Advances in Techniques for Endovenous Ablation of Truncal Veins," *Advances in Dermatologic Surgery*, April 2006.
4. Mackay, E; Almeida, J; Raines, J: Saphenous Vein Ablation; "Do different laser wavelengths translate into different patient experiences," *Endovascular Today*, March 2006.
5. Yang, CH; Chou, HS; Lo, YF: "Incompetent Great Saphenous Veins Treated with Endovenous 1320nm Laser: Results for 71 Legs and Morphologic Evolvment Study," *Dermatologic Surgery, Inc.*, 2006.
6. Proebstle, TM; Moehler, Gul, D; Herdemann, S: "Endovenous Treatment of the Greater Saphenous Vein Using a 1320nm Nd:YAG Laser Causes Fewer Side Effects than Using a 940nm Diode Laser," *Dermatologic Surgery, Inc.*, December 2005.
7. Goldman, MP; Weiss, RA: "Endovascular Laser Procedures and Deep Vein Thrombosis," *Dermatologic Surgery, Inc.*, May 2005.
8. Weiss, RA; Munavalli, GS: "Endovenous Ablation of Truncal Veins," *Elsevier, Inc.*, 2005.
9. Goldman, MP; Mauricio, M; Roa, J: "Intravascular 1320nm Laser Closure of the Great Saphenous Vein": A 6 to 12 Month Follow-up Study," *Dermatologic Surgery*, 30:11, November 2004.
10. Proebstle, TM; Krummenauer, F; Gul, D; Knop, J: "Nonocclusion and Early Reopening of the Great Saphenous Vein After Endovenous Laser Treatment Is Fluence Dependent," *Dermatologic Surgery*, 30:2, February 2004.



11. Goldman, MP: "1320nm laser shows promise for treating greater saphenous veins: Avoids vessel perforation, damage to perivascular tissue," *Cosmetic Surgery Times*, May 2003.
12. Goldman, MP; Detwiler, S: "Endovenous 1064nm and 1320nm Nd:YAG Laser Treatment of the Porcine Greater Saphenous Vein," *Cosmetic Dermatology*, 16:2, February 2003.
13. Merchant, RF; DePalma, RG; Kabnick, LS: "Endovascular obliteration of saphenous reflux: A multicenter study," *Journal of Vascular Surgery*, 35:6, June 2002.

Abstracts Published or Presented

1. Chapman-Smith, P; Brown, Angela: ACP 21st Annual Congress (2007), Efficacy of 1320nm Endovenous Laser Ablation (EVLA) Combined with Ultrasound Guided Foam Sclerotherapy (UGS) in Treating Leg Vein Reflux – A 3-Year Study.
2. Goins, Wendell; Jonassen, T: ACP 21st Annual Congress (2007), Interim Report of the First 208 Cases of Endovenous Ablation for Saphenous Venous Incompetence using the Radiofrequency and 1320nm Laser.
3. Sadick, Neil: ACP 21st Annual Congress (2007), A Study Using the CoolTouch CTEV 1320nm Laser for the Endovenous Ablation of Hand Veins.
4. Goins, Wendell; Jonassen, T: ACP 21st Annual Congress (2007), Radiofrequency and Laser Ablation Results Abstract.
5. Kingsley, JR; Weiss, RA: ACP 20th Annual Congress (2006), Successful Treatment of Patients with Venous Insufficiency and on Coumadin Anti-Coagulation; Long-Term Experience with 1320nm Endovenous Ablation.
6. Weiss, RA; Goldman, MP: "Endovenous Elimination of the Great Saphenous Vein with Radiofrequency or Laser," *Advanced Techniques in Dermatologic Surgery*, Chapter 18, 2006.
7. Kingsley, JR; Maltbia, C; Isobe, J; Tadoros, S: Endovenous CoolTouch 1320nm Laser Ablation, The First Reported Detailed Analysis.



8. Kabnick, LS; Mortiz, A; Ombrellino, M; Caruso, J: Comparison Between 1320nm Wavelength Laser and Radiofrequency for the Treatment of Saphenous Venous Insufficiency.
9. Proebstle, TM; Weiss, RA: ACP 20th Annual Congress (2006), Feasibility of Incompetent Perforator Vein Ablation by Endovenous Laser Treatment; Use of Rounded Tip Fiber for an Improved Technique of Endovenous Ablation.
10. King, T: ACP 20th Annual Congress (2006), Endovenous Laser Ablation of the Small Saphenous Vein: Results; Endovenous Laser Ablation: Does Fluence Make a Difference?
11. Hirokawa, M; Sugano, N; Inoue, Y; Kurihara, I; Nakamura H; Terasaki, H; Yusa, Y; Nakashima, R; Iwai, T: 15th World Congress – *Union Internationale de Phlebologie*, A Novel Endovenous Laser Treatment of Great Saphenous Vein Reflux with a 1320nm Nd:YAG Laser and a Pull-back Device.
12. Proebstle, TM: International Vein Congress (2006), Feasibility of ablation of Incompetent Perforators by Endovenous Laser Treatment.
13. Weiss, RA; Munavalli, GS; Bellew, SG; Beasley, K: Comparison of Endovenous Vein Obliteration Techniques: 810nm vs. 1320nm vs. Radiofrequency, March/April 2005.

Industry Publications

1. Weiss, RA: "ASLMS and ASAPS Annual Meetings Provide Venue for Leading Edge Scientific Research," *Aesthetic Buyers Guide*, March/April 2004.